COMPLETE LISTING OF THE CLAIMS

The following lists all of the claims that are or were in the above-identified patent application. The status identifiers respectively provided in parentheses following the claim numbers indicate the current statuses of the claims.

- 1. (Original) An actuator comprising:
- a first region of piezoelectric material;
- a support structure; and

flexures attaching a perimeter of the region to the support structure.

- 2. (Original) The actuator of claim 1, further comprising first and second electrodes on opposite faces of the first region.
- 3. (Original) The actuator of claim 2, wherein two of the flexures provide respective electrical connections to the first and second electrodes.
 - 4. (Original) The actuator of claim 2, further comprising:
 - a second region of piezoelectric material; and
- a third electrode, wherein the second electrode is between the first and second regions, the first electrode is on a side of the first region opposite to the second electrode, and the third electrode is on is on a side of the second region opposite to the second electrode.
- 5. (Original) The actuator of claim 1, wherein an electric field applied to the region causes crystal structure change in a plane of the region causing the region to dish, where in dishing provides a stroke of the actuator.
 - 6. (Original) The actuator of claim 1, wherein the region is part of a bimorph.
 - 7. (Original) The actuator of claim 1, wherein the region is part of a unimorph.
- 8. (Original) The actuator of claim 1, wherein a first side of the first region has piezoelectric properties that differ from piezoelectric properties of a second side of the first

THE PATENT LAW OFFICES OF DAVID MILLERS 6560 ASHFIELD COURT SAN JOSE, CA 95120 PHONE(408) 927-6700 FAX (408) 927-6701 region.

- 9. (Original) The actuator of claim 7, wherein the first side of the region is chemically reduced.
- 10. (Original) The actuator of claim 1, wherein the support structure comprises a substrate underlying the region.
- 11. (Original) The actuator of claim 10, wherein the substrate comprises electrically conductive traces that the flexures electrically connect to the electrodes.
- 12. (Original) The actuator of claim 1, wherein the support structure comprises a frame surrounding the region.
 - 13. (Original) An array of actuators having the recited structure of claim 1.
- 14. (Original) The array of claim 13, wherein the support structure for each actuator in the array comprises a frame having a hexagonal shape, and the frames are arranged in a hexagonal array.
 - 15. (Original) An actuator comprising:

a region comprising a first layer of piezoelectric material that is between a first electrode and a second electrode; and

a plurality of flexures attached to a perimeter of the region, wherein the perimeter of the region is unsupported except where the flexures attach to the region.

- 16. (Original) The actuator of claim 15, wherein the plurality of flexures includes: a first flexure providing an electrical connection to the first electrode; and a second flexure providing an electrical connection to the second electrode.
- 17. (Original) The actuator of claim 15, wherein the region further comprises a second layer of piezoelectric material that is between the second electrode and a third electrode.

THE PATENT LAW OFFICES OF DAVID MILLERS 6560 ASHFIELD COURT SAN JOSE, CA 95120 PHONE(408) 927-6700 FAX (408) 927-6701

- 18. (Original) The actuator of claim 17, wherein the plurality of flexures includes: a first flexure providing an electrical connection to the first electrode; a second flexure providing an electrical connection to the second electrode; and a third electrode providing an electrical connection to the third electrode
- 19. (Original) A deformable mirror comprising: an array of piezoelectric actuators fabricated on a substrate; and a mirror membrane attached to the array of piezoelectric actuators.
- 20. (Original) The deformable mirror of claim 19, wherein each actuator comprises a bimorph.
- 21. (Original) The deformable mirror of claim 19, wherein each actuator comprises a RAINBOW.
 - 22. (Original) The deformable mirror of claim 19, wherein each actuator comprises: a region of piezoelectric material; a frame surrounding the region; and flexures attaching a perimeter of the region to the frame.

Claims 23-31 (Canceled)

THE PATENT LAW OFFICES OF DAVID MILLERS 6560 ASHFIELD COURT SAN JOSE, CA 95120

> PHONE(408) 927-6700 FAX (408) 927-6701